

kuraray

RECYCLING

PVB-TRIMMINGS

TROSIFOL[®]



COLLECTING INSTRUCTIONS



The PE bag must not weigh more than 20 kg.

TROSIFOL®-Trimming must be collected either directly in colourless PE (polyethylene) bags provided for this purpose (see chapter provided materials) or they can be initially placed in very clean plastic or metal bins and then transferred to aforementioned PE bags.

The following advises how to return the PE bags.

VERY IMPORTANT:

The bags must not contain competitors' films

The bags must contain only one type of film

The bags must not contain PE interlayer films of other plastic matter

The bags must not contain paper, labels or other foreign matter

WHAT MUST NOT BE INCLUDED IN THE TRIMMINGS BINS (I. E. PE BAGS OR OCTABINS)?



Beverage tins or packaging



Razor blades, other cutting tools, glass splinters



Plastic and paper disposable table-ware



Staples

Food leftovers or waste as well as cigarette ash



NEXT STAGE FOR THE FULL PE BAGS

TROSIFOL® provides re-usable plastic boxes or pre-cut corrugated, octagonal cardboard sheets for one-way octabins. The bottom, side panel and cover of the one-way octabin must be folded appropriately and placed on a disposable pallet measuring approx. 115 x 115 cm.

Each box accommodates up to 20 full PE bags. Each bag must weigh no more than 20 kg. We would like to remind you to fill each box according to the type of film.

This helps us to select and use the received boxes more rapidly.

The full boxes are secured with the lid in place. This guarantees that your consign-

ment will not be contaminated. In case of contamination the TROSIFOL®-trimmings cannot be put into the recycling circuit. Please paste the label provided by TROSIFOL® to the bin in the specified location.

DIMENSIONS OF THE BOXES:

One-way octabin:
L 110 cm x W 110 cm x H 90 cm

Re-usable plastic box:
L 120 cm x W 100 cm x H 100 cm



It states the address of the client, the type of the returned trimmings and the quantity.

STORAGE OF FULL OCTABINS

Full octabins containing approx. 20 PE bags can be stacked up to 2 pallets high. Be careful to use only TROSIFOL® original pallets or pallets of similar stability. They are made of wood and are stable, otherwise the octabins may be damaged. They should be stored in an absolutely dry, but not too hot, indoor location. Refrigerated storage is not necessary.



Do not stock more than 2 octabins. They may break or turn over.

SUPPLIES FROM TROSIFOL® FOR COLLECTION THE TRIMMINGS



PE bags



One-way octabin



Re-usable plastic box

We would like to list what is provided by TROSIFOL® free of charge in order to facilitate the collection of the trimmings.

Pre-cut corrugated cardboard sheet for one-way octabins (made up of 2 covers and side panels)

Re-usable plastic box

PE bags (each according to type of trimmings with appropriated labels)

Labels

Delivery note

Transport documents

Bag hanger on which the PE bag can be suspended (it can be provided at your request)

Wooden pallets

ACCOMPANYING DOCUMENTS

THE LABEL

TROSIFOL®

Rebare Trimmings

Material	Weight	Quantity
00	KG	
01	KG	
02	KG	
03	KG	
04	KG	
05	KG	
06	KG	
07	KG	
08	KG	
09	KG	
10	KG	
11	KG	
12	KG	
13	KG	
14	KG	
15	KG	
16	KG	
17	KG	
18	KG	
19	KG	
20	KG	
21	KG	
22	KG	
23	KG	
24	KG	
25	KG	
26	KG	
27	KG	
28	KG	
29	KG	
30	KG	
31	KG	
32	KG	
33	KG	
34	KG	
35	KG	
36	KG	
37	KG	
38	KG	
39	KG	
40	KG	
41	KG	
42	KG	
43	KG	
44	KG	
45	KG	
46	KG	
47	KG	
48	KG	
49	KG	
50	KG	

In this location please write the number of the delivery note and the date.

Specify the type of film and the quantity sent.

Should you send back PE interlayer film, make a cross here.

THE DELIVERY NOTE

TROSIFOL

Write on this location the weight of each type of trimmings (BG, VG etc.).

Write on this location the weight of each type of trimmings (BG, VG etc.).

THE TRANSPORT DOCUMENTS

TROSIFOL

Please give here your particulars.

Please give here your particulars.

If you do not have received these documents please kindly ask us for support!
Please fill in the label correctly before pasting it in the specified location.

CONTACT For further information about TROSIFOL® products and services please contact:

Kuraray Europe GmbH

Division TROSIFOL®
Mülheimer Straße 26
53840 Troisdorf
Germany
Phone: ++49 (0) 22 41/25 55 – 220
Fax: ++49 (0) 22 41/25 55 – 299
E-Mail: trosifol@kuraray.eu

Kuraray Co., LTD

Ote Center Bldg.
1-1-3, Otemachi
Chiyoda-Ku
Tokyo, 100-8115
Phone: ++81 3 6701 1453
Fax: ++81 3 6701 1460
E-Mail: trosifol.japan@kuraray.eu

Kuraray India Private Ltd.

Division TROSIFOL®
207 B, Rectangle I
D-4, District Centre, Saket
New Delhi 11 00 17
India
Phone: ++91 11 4610 2900
Fax: ++91 11 4610 2911
E-Mail: trosifol.india@kuraray.eu

Kuraray Shanghai Co., Ltd.

Unit 2207, 2 Grand Gateway
3 Hongqiao Road
Xu Hui District
Shanghai 200030
China
Phone: ++86 021 61198111
Fax: ++86 021 61198585
E-Mail: trosifol.china@kuraray.eu

000 TROSIFOL®

Kolzowa, 24
606440 Bor
Nishny Novgorod Region
Russia
Phone: ++7 83159 6-77-28
Fax: ++7 83159 6-77-87
E-Mail: info@kuraray.ru

Kuraray America, Inc.

Division TROSIFOL®
2625 Bay Area Blvd.
Suite 300
Houston, Texas 77058-1551
Phone: ++1 800 423-9762
Fax: ++1 713 495-7322
E-Mail: TrosifolOrders@KurarayAmerica.com